



Conduce el futuro.

K54 EV TRUCK



» Electrón Cars Latinoamérica, S.A.
Ciudad de Panama, Panama
Phone: (+507) 321.7722
WhatsApp: (+507) 6948.9122
Website: www.EV-Electron.com
Email: Web@EV-Electron.com



ELECTRON K54 EV TRUCK Configuration

Vehicle Category		Version
		Pure Electric Panel Mini Truck
Basic Parameters	Overall Length (mm)	4770
	Overall Width (mm)	1677
	Overall Height (mm)	2416
	Wheelbase (mm)	3050
	Inside Length of Cargo Compartment (mm)	2700
	Inside Width of Cargo Compartment (mm)	1610
	Inside Height of Cargo Compartment (mm)	1590
	Cargo Compartment Volume (m ³)	≥6.8
	Curb Weight (kg)	≤1500
	Gross Weight (kg)	≤2600
Driving Cab	Single Row (2 Seats)	
Performance Parameters	Total Battery Storage (kwh)	39.9
	Max. Speed(km/h)	≥80
	Max. Range of Pure Electricity	≥255
	Charging Time (h)	≤13 (SOC : 10-100%)
	Battery Type	LFP
	Motor Type	Permanent Magnet Synchronous
	Rated/Peak Power (kW)	30/60
General Configurations	Battery	●
	Driving Motor	●
	Motor Controller	●
	Vehicle Control Unit	●
	Cooling Mode of Motor Controller (Air Cooling)	●
	Battery Electric Heating System	●
	Reversing Radar	●
	Front Air Conditioner	●
	EPS	●
	Slow Charge	●
	Fast Charge	●
	ABS	●
	EBD	●
	Front Door Power Window	●
	Central Locking with Remote Control Key	●
	Co-Driver's Auxiliary Handle	●
	Co-Driver's Seat Adjustment	●
	PVC	●
	Wheel	Aluminum Wheel 185/65 R15 LT Steel Wheel 185/65 R15 LT Wheel Shaft Cover (NLM LOGO)
Spare Tire	Steel Wheel 185/65 R15 LT	●
Special Configurations	Special Vehicle Appearance	Independent Compartment
	Right Side Door (unilateral door side open)	○
	Spoiler	○
	Rear Pedal	●
	Reflective Sticker of Car Body	●
Max. Total Quality Spray	●	
Other Configurations	Extinguisher	●
	Portable Parking Lights	●
	Reflective Vest	●
	Power Supply for Cigarette Lighter	●
	Fanfare Horn	●
Movable Belt Buckle (Iron Plate)	●	

Remarks: "●" means standard configuration, "○" mean optional configuration, "×" means no such configuration.



ELECTRON K54 EV TRUCK Images





